Web
 Images
 Video
 News
 Maps
 Gmail
 more ▼
 Sign in

 Google

 Meb
 Results 1 - 10 of about 1,710,000 for hierarchy of document types.

Sign in

Advanced Search

Preferences

0.14 seconds)

KFS Document Type Inventory and Hierarchy - KFS Documentation ...
KFS Document Type Inventory and Hierarchy ... Parent Document Type, None.
SuperUser Workgroup, KUALI\_ROLE\_SUPERVISOR ...
https://test.kuali.org/confluence/display/
KULDOC/KFS+Document+Type+Inventory+and+Hierarchy - 100k Cached - Similar pages

[#KULRICE-904] Climb Hierarchy button on Document Type lookup ... Climb Hierarchy button on Document Type lookup behaving badly. Created: 29/Jul/07 01:58 PM Updated: 09/Aug/07 05:12 PM Due: 10/Aug/07 ... https://test.kuali.org/jira/browse/KULRICE-904 - 27k - Cached - Similar pages

CDL Digital Object Document Type Definition Tutorial

An XML Document Type Definition has been created for MOA2 digital objects. ..... This structural map indicates the document has a three level hierarchy: it ... sunsite.berkeley.edu/moa2/papers/dtdtutorial2.htm - 24k - Cached - Similar pages

CDL Digital Object **Document Type** Definition Tutorial

An XML **Document Type** Definition has been created for MOA2 digital objects. .... The **type** of object at this level of **hierarchy** is a stereograph ... sunsite.berkeley.edu/MOA2/papers/DTD\_Tutorial.htm - 30k - <u>Cached</u> - <u>Similar pages</u>

Simplifying Data Handling with Uniform Type Identifiers

Conformance Hierarchy. If you had to specify each data type that your document can open, and all possible permutations of those types, you would probably ... developer.apple.com/macosx/uniformtypeidentifiers.html - 31k - Cached - Similar pages

xml document type definition for the adl collection
the hierarchy used to categorize the items in the collection by type, i.e., by semantic
content; 'id' uniquely identifies the hierarchy among all ...
alexandria.sdc.ucsb.edu/docs/metadata/ADL-collection-metadata.dtd - 18k Cached - Similar pages

Why I demand Schemata: Element Type Hierarchies for Transparent ... Complex document types require rich and complex structural markup. ... capabilities of existing XML DTDs is to add an explicit element type hierarchy. ... xml.coverpages.org/thompsonSchemata.html - 8k - Cached - Similar pages

RFC 3121 (rfc3121) - A URN Namespace for OASIS

The general structure of the NSS in the tc hierarchy has the form: urn:oasis:names:tc:{tc-id}:{type}{:subtype}?:{document-id} where "tc-id" is a unique ...

www.faqs.org/rfcs/rfc3121.html - 13k - Cached - Similar pages

OASIS DITA TC Statement to W3C Compound Document Committee
Every DITA document type is in fact a compound document that integrates the ... The
modules are related through a hierarchy, which defines markup in new ...
www.w3.org/2004/04/webapps-cdf-ws/papers/compdocDITATC.html - 10k Cached - Similar pages

#### We Have Chosen Shame and Will Get War

The META tag in HTML level 2 can be exploited to implement a document typing system. We need to develop a hierarchy of document types to facilitate ... www.press.umich.edu/jep/works/greenspun.shame.html - 25k - <u>Cached</u> - <u>Similar pages</u>

> **1**. <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u> <u>Next</u>

Download Google Pack: free essential software for your PC

hierarchy of document types



Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

©2007 Google - Google Home - Advertising Programs - Business Solutions - About Google

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S18 5	15851	(document with types)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 12:21
S18 6	1911	(707/3.ccls. or 715/513 or 707/7 or 707/100) and (document with types)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 12:22
S18 7	135	S186 and (documents with identifiers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 12:27
S18 8	8	S186 and (documents with identifiers) and (type with path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 12:27
S18 9	1489	(documents with identifiers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 12:27
S19 0	59	S189 and (documents with identifiers) and (type with path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 12:33
S19 1	0	"20020212664"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 12:34
S19 2	2	"20030212664"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 12:34

S19 3	0	"20030212664" and identifiers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 12:34
S19 4	1	"20030212664" and IDs	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 12:34
S19 ·5	19	715/523 and (documents with (IDs or identifiers))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/10/18 12:35
S19 6	14	715/523 and (documents with (IDs or identifiers)) and (document with types)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 12:35
S19 7	3	715/523 and (documents with (IDs or identifiers)) and (document with types) and ((tree or hierachy) with types)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 12:37
S19 8	16	(documents with (IDs or identifiers)) and (document with types) and ((tree or hierachy) with types)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 14:05
S19 9	2	"6763496".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 15:51
S20 0	- 1	11/244018	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 15:52

S20	1	11/244018 and (histogram)	US-PGPUB;	OR	OFF	2007/10/18 15:56
1		<b>3</b> ,	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S20 2	2	"20030212664"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/10/18 15:57
S20 3	2	"6209040".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/10/18 15:57
S20 4	0	"6209040".pn. and histogram	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 16:26
S20 5	0	"exceptions detection in N-Demensional".ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 16:39
S20 6	0	(exceptions near2 detection near2 N-Demensional).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 16:39
S20 7	0	(exceptions with detection near2 N-Demensional).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 16:39
S20 8	0	(exceptions with detection with N-Demensional).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 16:39

			Υ			7
S20 9	1	(exceptions with detection with N-Dimensional).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2007/10/18 16:49
S21 0	45	707/204 and (laptop or handheld) and (creat\$3 with (template or form))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/10/18 16:50
S21 1	29	707/204 and (laptop or handheld) and (creat\$3 with (template or form))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 16:56
S21 2	0	(hierachy near2 (document near2 types))	USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 11:42
S21 3	0	(tree near2 (document near2 types))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 09:07
S21 4	3	(hierarchy near2 (document near2 types))	USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 09:45
S21 5	0	11/244021	USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 09:12
S21 6	1	11/244021	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 09:12
S21 7	801	11/244021 (document with type with identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 09:12
S21 8	1	11/244021 and (document with type with identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 09:12

S21 9	7	(hierarchy near2 (document near2 types))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 09:20
S22 0	<b>17</b>	(hierarchy with (document near2 types))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 11:25
S22 1	1	10/687301	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 09:33
S22 2	1	10/687301 and (node near2 type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 09:34
S22 3	1	(hierarchy near2 (document near2 types)) and ((document near2 type) with identifier)	USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 10:00
S22 4	157	cam with truong	USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 10:03
S22 5	4	(cam with truong) and namespace	USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 10:27
S22 6	0	10/763355 and (document near2 type)	USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 10:27
S22 7	1	10/763355 and (document near2 type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 10:37
S22 8	2	"5864862".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 10:37

	<u> </u>			1		
S22 9	2	"20020034333"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 11:42
S23 0	19136	707/100 or 707/3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 11:42
S23 1	0	S230 and (hierarchy near2 (document near2 types))	USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 11:43
S23 2	4	S230 and (tree with (document near2 types))	USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/20 11:43
S23 3	1182	((file near2 system) with images)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 11:23
S23 4	2	((file near2 system) with images). clm. and (delta near2 file).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 11:23
S23 5	108	((file near2 system) with images). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 11:23
S23 6	43	((file near2 system) with images). clm.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/29 11:24
S23 7	25	(((file near2 system) with images) same update\$1)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 10:02

S23 8	10271	707/3	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 10:02
S23 9	1	S238 and (count\$3 with character\$3) and (count with files)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 10:04
S24 0	37	(count\$3 with character\$3) and (count with files)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 10:04
S24 1	0	(count\$3 with character\$3) and (count with files) and (ratio with (open near2 file))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 10:05
S24 2	1	(count\$3 with character\$3) and (count with files) and (number with (open near2 file))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 10:08
S24 3	37	(count\$3 with character\$3) and (count with files)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 10:13
S24 4	6	(count\$3 with character\$3) and (count with files) and (number with access\$3 with file\$1)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 10:39
S24 5	4480	((generate\$2 or creat\$2) with audio).clm.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2007/10/31 10:40
S24 6	111	((generate\$2 or creat\$2) with audio).clm. and (audibly).clm.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 10:40
S24 7	1	((generate\$2 or creat\$2) with audio).clm. and (audibly).clm. and (audio near2 items).clm.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 10:40

		LAST Scare	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
S24 8	2	((generate\$2 or creat\$2) with audio).clm. and (audibly).clm. and (audio with items).clm.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/10/31 10:40
S24 9	3	((generate\$2 or creat\$2) with audio).clm. and (audibly).clm. and (audio with files).clm.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 10:41
S25 0	32	(((generate\$2 or creat\$2) with audio) same audibly).clm.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 10:45
S25 1	0	11/215692	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/10/31 10:46
S25 2	0	11/215692	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:27
S25 3	4	"6591260".pn. or "20030135495"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:54
S25 4	8	(query near2 results) same (type with path with query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:31
S25 5	396	(documents same (tree or hierarchy)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:31
S25 6	148	(documents same (tree or hierarchy)).clm. and (document near2 type\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:31

S25 7	44	(documents same (tree or hierarchy)).clm. and (document near2 type\$1).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:31
S25 8		(documents same (tree or hierarchy)).clm. and (document near2 type\$1).clm. and (type near2 path\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:34
S25 9	4920	document near2 types	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:34
S26 0	0	S259 and (hierachy with (document near2 types))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:34
S26 1	17	S259 and (hierarchy with (document near2 types))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:34
S26 2	1	S259 and (hierarchy with (document near2 types)) and (type near2 path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:35
S26 3	0	S259 and (hierarchy with (document near2 types)) and (type near2 paths)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:35
S26 4	0	S259 and (tree with (document near2 types)) and (type near2 paths)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:35

		,			,	
S26 5	0	(tree with (document near2 types)) and (type near2 paths)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:35
S26 6	0	(hierarchy with (document near2 types)) and (type near2 paths)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:35
S26 7	8	((document near2 types)) and (type near2 paths)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:41
S26 8	0	(707/100 or 707/3) and ((document near2 types)) and (type near2 paths)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:42
S26 9	2	"6591260".pn. and hierarchy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:54
S27 0	1	"6591260".pn. and (document near2 types) and (documents)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 11:54
S27 1	1	"20030135495" and (documents near2 types) and documents	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 12:41
S27 2	0	"20030135495" and (documents near2 types) and documents and (type near2 path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 12:41

S27 3	0	"20030135495" and (documents near2 types) and documents and (type with path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 12:41
S27 4	1	"20030135495" and (documents near2 types) and documents and (path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 12:53
S27 5	1	10/154407	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 12:53
S27 6	0	10/154407 and documents	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2007/10/31 12:53
S27 7	0	10/154407 and document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 12:53
S27 8	37619316	10/154407 a	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 12:53
S27 9	1	10/154407	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 12:54
S28 0	0	10/154407 and document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 12:54

S28 1	42	(match\$3 or compar\$3) same (type near2 path) same query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 12:55
S28 2	1	(match\$3 or compar\$3) same (type near2 path) same query same results	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 12:55
S28 3	42	(match\$3 or compar\$3) same (type near2 path) same query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 16:00
S28 4	0	"6978282".pn. and versions	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 16:01
S28 5	0	"6978282".pn. and currently	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 16:02
S28 6	1	"6978282".pn. and version	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 16:11
S28 7	1	"6978282".pn. and (compar\$3 or match\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 16:37
S28 8	62	(type near2 path) with query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 16:39

	,			ı····		Ţ <del></del>
S28 9	4	(compar\$3 or match\$3) with (type near2 path) with query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 16:41
S29 0	4	S289 and documents	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 16:40
S29 1	8	(compar\$3 or match\$3) with (type near2 path) same query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 16:42
S29 2	42	(compar\$3 or match\$3) same (type near2 path) same query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/31 16:43
S29 3	250763	(documents)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 11:15
S29 4	1090	S293 and (query with path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 11:16
S29 5	134	S293 and (query with path) and (match\$3 with query with path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 11:16
S29 6	20	S293 and (query with path) and (match\$3 with query with path) and (tree with document) and (query near2 results)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 11:25

S29 7	2	"6016497".pn.	US-PGPUB; USPAT; USOCR;	OR	OFF	2007/11/01 11:28
			EPO; JPO; DERWENT; IBM_TDB			
S29 8	2	"20050055355"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2007/11/01 11:31
S29 9	0	10/931035 and UDT	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 11:32
S30 0	0	10/931035 and (user-defined)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 12:10
S30 1	2	10/764355 and results	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 11:48
S30 2	0	10/763355 and results	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 11:49
\$30 3	1	10/763355 and result	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 11:49
\$30 4	1	10/931035 and results	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 12:56

S30 5	5	10/324048	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 12:56
S30 6	5	10/324048 and application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 12:57
S30 7	0	10/324048 and (workflow near2 application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 12:56
S30 8	0	10/324048 and (workflow with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 12:56
S30 9	0	10/324048 and (report near2 application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 12:56
S31 0	0	10/324048 and (report with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 12:56
S31 1	1	10/324048 and report	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/01 14:49